

Vaginal Mesh Update: Massachusetts requires safer alternative design

The Vigna Law Group comments on recent discussions held in United States federal courts regarding safer design alternatives.

SANTA BARBARA, CALIFORNIA, UNITED STATES, May 6, 2021 /EINPresswire.com/ -- "... Because a reasonable alternative design is a required element of design defect and Plaintiffs have not pled that an alternative design exists in their Complaint, they have not stated a plausible claim for relief, and so Count I must be dismissed or the Plaintiffs must be given leave to amend"...Ducat, et al. v. Ethicon, Inc. (Civil Action No. 4:21-cv-10174-TSH)

Greg Vigna, MD, JD, national pharmaceutical injury attorney, practicing physician, and Certified Life Care Planner weighs in, "In the United States federal courts, there is a circuit split as to what exactly a safer alternative design means. There are circuits that require a safer alternative synthetic device when compared to polypropylene and there are circuits that will accept non-polypropylene alternative procedures as a safer alternative design for the treatment of stress urinary incontinence or pelvic organ prolapse. Regarding neurological complications caused by mid-urethral slings we have little concern at this point regarding this issue as we have evidence of safer alternative designs that utilize polypropylene and safer alternative designs for synthetic slings with non-polypropylene polymers that reduce the risk of neurological injuries and erosion type injuries."



Dr. Greg Vigna

Dr. Vigna adds, "We are confident that polypropylene mid-urethral slings will be found defective under the law in every jurisdiction for even erosion type injuries because the scientific evidence relating to biomaterials provide evidence for a safer alternative design. Clearly, the medical literature has caught up with what the manufacturers have known about retropubic slings and trasobturator slings for years, that they cause serious life-altering pain. We have safer alternative designs for polypropylene slings that avoid each neurological complication that these devices are known to cause."



We have safer alternative designs for polypropylene slings that avoid each neurological complication that these devices are known to cause.”

Dr. Greg Vigna

Dr. Vigna concludes, “I have been very picky as it relates to the women we represent because these cases are very labor-intensive from paralegals to appellate attorneys. We represent those with the serious pain syndromes that have been recognized finally by the 2020 AUGS Joint Position Statement on the Management of Mesh Complications that cause disabling pain, loss of employment, and costly future medical care which are estimated at or above \$500,000 per decade of life. Fortunately, the MDL is over and women have a pathway to the courthouse for the

compensation that will allow them to obtain the care they deserve and compensation that will allow them to function in society.”

Dr. Vigna is a California and Washington D.C. lawyer who focuses on catastrophic neurological injuries caused by transvaginal mesh devices including pudendal neuralgia, obturator neuralgia, ilioinguinal neuralgia, and Complex Regional Pain Syndrome. His cases are filed around the country with Martin Baughman, a Dallas Texas firm. Ben Martin and Laura Baughman are national pharmaceutical injury trial attorneys in Dallas, Texas.

To learn more on the anatomical basis for TOT injury or irritation to the obturator and pudendal nerve and the treatments of obturator and pudendal neuralgia visit:

<https://vignallawgroup.com/ebooks/pelvic-mesh-pain/#page=59>

[Click here for a FREE BOOK](#) on Vaginal Mesh Pain.

[Click here for a Podcast](#) from the Vigna Law Group.

For articles, video resources, and information [visit the Pudendal Neuralgia Educational Portal](#) or <https://tvm.lifecare123.com/>.

Click on the following link for information regarding sling related complications:

<https://tvm.lifecare123.com/slidgebook.html>

Greg Vigna, MD, JD

Vigna Law Group

1155 Coast Village Rd., Suite 3, Santa Barbara, CA

1-800-761-9206

https://www.augs.org/assets/1/6/Joint_Position_Statement_on_the_Management_of.99428.pdf

<https://www.nice.org.uk/guidance/ng123/resources/urinary-incontinence-and-pelvic-organ-prolapse-in-women-management-pdf-66141657205189>

Greg Vigna, M.D., J.D., Certified Life Care Planner
Academic Physician Life Care Planning
+1 800-761-9206

[email us here](#)

Visit us on social media:

[Facebook](#)

[Twitter](#)

This press release can be viewed online at: <https://www.einpresswire.com/article/540449573>

EIN Presswire's priority is source transparency. We do not allow opaque clients, and our editors try to be careful about weeding out false and misleading content. As a user, if you see something we have missed, please do bring it to our attention. Your help is welcome. EIN Presswire, Everyone's Internet News Presswire™, tries to define some of the boundaries that are reasonable in today's world. Please see our Editorial Guidelines for more information.

© 1995-2021 IPD Group, Inc. All Right Reserved.